


#### Eradicated and almost eradicated



Seattle Post-Intelligencer, March 26, 1946

#### Emergency Declared in Outbreak of Smallpox

The state department of health yesterday declared "a state of emergency" to exist because of the current out break in King County of smallpox, and said the outbreak had reached "epidemic propor

had reached "epidemic propor-tions."

A third death occurred early yes—Safety Building at 5th Ava. and terday, Seventeen cases have been Yesler Way, but Dr. Palmedist de reported in all. How many uniden—scribed this as "only a drop in the tified and unreported cases there bucket."

Prior to the state action, the city pital is making room to accome Fror to the state squam, the day pitar is making tool health department had again urged date the additional smallpox that everyone be raccinated against time sure to materialize.

CONFERENCE HELD conference was held in the


Dr. Giout said King County Hos


"All but one case thus far reported," he said, "have been





Diphtheria - last **Washington case** in 1979










## Reported cases of Haemophilus influenza\* -- Washington, 1985-2004








#### Reported cases of measles -- Washington, 1985-2004

1985-1996

Note: scale is 0-360 cases




1997-2004

Note: scale is 0-20 cases






#### Reported cases of mumps --- Washington, 1985-2004







### Reported cases of rubella --- Washington, 1985-2004








#### Incidence of hepatitis A - Washington and United States\*, 1985-2004






#### Year








Source: CDC Hepatitis surveillance report, September 2005

## Incidence of Hepatitis B - Washington and United States\*, 1985-2004






Year








Source: CDC Hepatitis surveillance report, September 2005

### Reported cases of meningococcal disease – Washington, 1990-2004


Nonfatal
Fatal








#### Incidence of meningococcal disease by age group -- Washington and United States\*, 2003








## Neisseria meningitidis by serogroup – Washington, 1999-2003








## Incidence of pertussis - Washington and United States\*, 1985-2004








### Reported cases of pertussis – Washington, 1985-2004








# Median age of persons with pertussis, Washington, 1990-2004







### Incidence of pertussis by age group --- Washington and United States\*, 2003









#### Useful websites

- ACIP provisional recommendations
   http://www.cdc.gov/nip/recs/provisional\_recs/default.htm
- Washington State Department of Health communicable disease data http://www.doh.wa.gov/notify/list.htm





#### ACIP recommendations for MCV4

- Routine vaccination of adolescents 11-18 years of age
- College freshmen living in dorms
- Lab personnel
- Military recruits
- Travelers to endemic areas
- Medical conditions that increase risk for meningococcal infection
  - Terminal complement deficiencies
  - Splenic dysfunction
- Remember -- only approved for people 11-55 years of age!



